





Fermacorda - Terminali
Cordlocks - Cord ends

RING




MOD.	MAT.	COL.	A	B	C	E	F
RING	N	Std.	Ø 22	27.8	10	Ø 5.5	3.5

BATMAN




MOD.	MAT.	COL.	A	B	C	E
BATMAN	N	Std.	25.5	16	24	Ø 5

BALL



MOD.	MAT.	COL.	A	B	E	F
BALL	N	Std.	Ø 18	19.5	10.1	4


ECO/01



MOD.	MAT.	COL.	A	B	C	D	E	F
ECO/01	A	Std.	12	24	8.5	6	5	


LITTLE

LITTLE/3




MOD.	MAT.	COL.	A	B	C	D	E	F
LITTLE	N	Std.	12	25.5	8.5		Ø 5	
LITTLE/3	N	Std.	12	25.5	8.5	2	Ø 5	8

SPRING/5





MOD.	MAT.	COL.	A	B	E	F		
SPRING/5	N	Std.	Ø 10.5	26	5	5.5		

DROP




MOD.	MAT.	COL.	A	B	C	E		
DROP	N	Std.	9.5	20	7.5	Ø 3.5		

PICK UP/P PICK UP/F10




MOD.	MAT.	COL.	A	B	C	D	E	F
PICK UP/P	N	Std.	Ø 18	22.5	14		8.4	5
PICK UP/F10	N	Std.	Ø 18	27	14	8	8.4	5

PICK UP/M




MOD.	MAT.	COL.	A	B	C	E	F	
PICK UP/M	N	Std.	17.5	22	13.5	9.5	6	

PICK UP/GN




MOD.	MAT.	COL.	A	B	E			
PICK UP/GN	N-PP	Std.	Ø 16	42.5	Ø 7.5			

BLOK




MOD.	MAT.	COL.	A	B	C	E		
BLOK	N	Std.	13	28.8	13	Ø 5.8		

JAP




MOD.	MAT.	COL.	A	B	E	F		
JAP	N	Std.	Ø 13	26.5	6	5		

POLO




MOD.	MAT.	COL.	A	B	C	E	F	
POLO	N	Std.	Ø 23	24.9	7.4	4.6	7.8	

FC/2




MOD.	MAT.	COL.	A	B	C	E	F	
FC/2	N	Std.	16.4	28.8	8.4	6.5	7.2	

TR/1




MOD.	MAT.	COL.	A	B	C	E		
TR/1	N	Std.	12	25	12	6		

NYCORD




MOD.	MAT.	COL.	A	B	C	E	F
NYCORD	A	Std.	18.4	31	7.3	5	10

MICRO




MOD.	MAT.	COL.	A	B	C	E
MICRO	N	Std.	12	31	6	Ø 6

FLAT




MOD.	MAT.	COL.	A	B	C	E
FLAT	N	Std.	Ø 18	26.5	6.5	Ø 6

DM/2



MOD.	MAT.	COL.	A	B	C	E	F
DM/2	N	Std.	18	24	13	5	8


SFERA



MOD.	MAT.	COL.	A	B	C	E
SFERA	N	Std.	Ø 18	20	17.5	Ø 5


F1

F3




MOD.	MAT.	COL.	A	B	C	D	E	F
F1	N	Std.	15	29	10		5	8
F3	N	Std.	15	29	10	8	5	8

DISCO/SM



MOD.	MAT.	COL.	A	B	E	F		
DISCO/SM	N	Std.	Ø 15	11	4.5	3.5		


DISCO



MOD.	MAT.	COL.	A	B	E	F		
DISCO	N	Std.	Ø 18.5	15	5.5	4.5		

DOUBLE


DOUBLE/P10



MOD.	MAT.	COL.	A	B	C	D	E	F
DOUBLE	N	Std.	24	20	9.2		Ø 5	
DOUBLE/P10	N	Std.	24	25	9.2	9	Ø 5	2.5


DOUBLE/SM

DOUBLE SM/P10




MOD.	MAT.	COL.	A	B	C	D	E	F
DOUBLE/SM	N	Std.	20	17.5	7		Ø 3.5	
DOUBLE SM/P10	N	Std.	20	21.5	7	8	Ø 3.5	2

DROP 2




MOD.	MAT.	COL.	A	B	C	E		
DROP 2	N	Std.	10	25	8	Ø 3.5		

FV2




MOD.	MAT.	COL.	A	B	C	E		
FV2	N	Std.	17	32	9.5	Ø 5.5		

JP/2




MOD.	MAT.	COL.	A	B	C	E	F	
JP/2	NIR	Std.	26	27	12	6	5	

TWINS




MOD.	MAT.	COL.	A	B	C	E		
TWINS	N	Std.	Ø 12.5	25	30	Ø 6		

CIRCLE H2G





MOD.	MAT.	COL.	A	B	E			
CIRCLE	N-E	Std.	Ø 19	14	Ø 5			

TUBE 5




MOD.	MAT.	COL.	A	B	C	D	F
TUBE 5	A	Std.	15	11	11.5	6.5	4.5

BC4




MOD.	MAT.	COL.	A	B	C	D	F
BC4	N	Std.	22	25	7	13	4

CROCK




MOD.	MAT.	COL.	A	B	C	D
CROCK	E	Std.	21	13	9	12

GUMMY




MOD.	MAT.	COL.	A	B	C	E
GUMMY	E	Std.	28	24	6	Ø 6

FO/20




MOD.	MAT.	COL.	A	C	E
FO/20	E	Std.	Ø 20	4.5	Ø 6.5

FRIZZY FRIZZY/P8



MOD.	MAT.	COL.	A	B	C	D	E	F
FRIZZY	E	Std.	Ø 13	12			Ø 3	
FRIZZY/P8	E	Std.	Ø 14	17.5	12	8	Ø 3	2


SLICK



MOD.	MAT.	COL.	A	C	E	F		
SLICK	E	Std.	Ø19	8	Ø 3	8		


TERMINALI PER CORDINI
CORD ENDS

110/05




MOD.	MAT.	COL.	A	B	E			
110/05	N	Std.	Ø 12	18	Ø 5			

106/5




MOD.	MAT.	COL.	A	B	C	E		
106/5	N	Std.	13	25	8.5	Ø 4.5		

TSN




MOD.	MAT.	COL.	A	B	C	E	F
TSN	N	Std.	11.5	16.5	8.5	3	7

TSN/2




MOD.	MAT.	COL.	A	B	C	E
TSN/2	N	Std.	12.8	20.1	8	4

109




MOD.	MAT.	COL.	A	B	E
109 10	N	Std.	Ø 10	10	Ø 3.5
109 12	N	Std.	Ø 12	12	Ø 4.5
109 15	N	Std.	Ø 15	13	Ø 6

CC3




MOD.	MAT.	COL.	A	B	E
CC3	N	Std.	Ø 7.5	13	Ø 3

TF




MOD.	MAT.	COL.	A	B	C	D	F
TF	N	Std.	13	20	9.5	10.5	2

TF2




MOD.	MAT.	COL.	A	B	C	D	F
TF2	N	Std.	13	20	9.5	4.5	3

T2/4




MOD.	MAT.	COL.	A	B	C	E
T2/4	N	Std.	13.5	6	4	Ø 4

OR/8




MOD.	MAT.	COL.	A	C	E
OR/8	A	B	Ø 11	1.5	Ø 8

PULL 3




MOD.	MAT.	COL.	A	B	C	E
PULL 3	N	Std.	8.5	16	7	Ø 3.5

TB




MOD.	MAT.	COL.	A	B	C	E
TB	N	Std.	17.5	28	8	Ø 4.5

MINIBALL




MOD.	MAT.	COL.	A	B	C	E		
MINIBALL	N	Std.	14	19.5	8.5	Ø 4		

ZIP




MOD.	MAT.	COL.	A	B	C	D	F	
ZIP	N	Std.	18.5	23	10	6.5	3	

TA2




MOD.	MAT.	COL.	A	B	C	D	F	
TA2	N	Std.	9.5	15.5	7	3	2.5	

TA5




MOD.	MAT.	COL.	A	B	C	D	F	
TA5	N	Std.	16	22	8	5.3	3	

TL




MOD.	MAT.	COL.	A	B	C			
TL	E	Std.	74.5	13	6.5			

Z1




MOD.	MAT.	COL.	A	B	C			
Z1	E	Std.	15	58.5	6.2			

Z2




MOD.	MAT.	COL.	A	B	C			
Z2	E	Std.	15	58.5	5.5			

Z3




MOD.	MAT.	COL.	A	B	C			
Z3	E	Std.	13.8	55.5	5.2			

RTL/16



MOD.	MAT.	COL.	A	C	D			
RTL/16	N	Std.	Ø 16	8	2			


RTL/20



MOD.	MAT.	COL.	A	B	C	D		
RTL/20	N	Std.	15	20	9.5	2.2		

Accessori per cartotecnica
Stationery products


● **ATTAK/45**



MOD.	MAT.	COL.	A	B	C			
ATTAK/45	N	Std.	25	40	9			

Applicazione con punzone (a richiesta)
Application by tool (at request)


● **ATTAK/86**



MOD.	MAT.	COL.	A	B	C			
ATTAK/86	N	Std.	31	46	11			

Applicazione con punzone (a richiesta)
Application by tool (at request)


● **ATTAK/100**



MOD.	MAT.	COL.	A	B	C			
ATTAK/100	N	Std.	40	51.5	13			

Applicazione con punzone (a richiesta)
Application by tool (at request)


● **ATTAK/2000**



MOD.	MAT.	COL.	A	B	C			
ATTAK/2000	N	Std.	36.5	47.5	12.5			


Applicazione con punzone (a richiesta)
Application by tool (at request)

● **TUKY**




MOD.	MAT.	COL.	A	B	C			
TUKY	A	Std.	25.5	40.5	14.5			

● **TUKY/GR**



MOD.	MAT.	COL.	A	B	C			
TUKY/GR	A	Std.	32.5	54	17			


NYTUCK/P



MOD.	MAT.	COL.	A	B	C	D		
NYTUCK/P	N	Std.	27.5	36	11.5	20.5		

Applicazione con punzone (a richiesta)
Application by tool (at request)



NYTUCK/G



MOD.	MAT.	COL.	A	B	C	D		
NYTUCK/G	N	Std.	42	48	13	23		

Applicazione con punzone (a richiesta)
Application by tool (at request)


MIX/87



MOD.	MAT.	COL.	A	B	C	D		
MIX/87	A	Std.	31	42	10.5	19		

Applicazione con punzone (a richiesta)
Application by tool (at request)


C4FN



MOD.	MAT.	COL.	A	B	C			
C4FN	A	Std.	31	63	9			

1,2	2,5	3,5
-----	-----	-----

CBA




MOD.	MAT.	COL.	A	B	C			
CBA	A	Std.	52	27.5	11			

CBA 1 ≠ 1 ÷ 2,5
CBA 2 ≠ 2,5 ÷ 3,5

CLN



1,2
2,5
3,5




MOD.	MAT.	COL.	A	B	C			
CLN	N	Std.	22	64	6.5			

LOCK




1,2
2,5
3,5



MOD.	MAT.	COL.	A	B	C			
LOCK	N	Std.	20	56	6.5			

CHIUSURA A SGANCIO LATERALE
SIDE RELEASE LOCK


007



MOD.	MAT.	COL.	A	B	C	D		
007	A	Std.	24	54	8.5	15		


TIRANTINO
PULLER

TNT




MOD.	MAT.	COL.	A	B	C	D'	D''	
TNT	ABS	Std.	27	45	6.6	0.9	2.2	


GBN/28




GBN/28CA



GB/40




 FLEX



MOD.	FLEX
MAT.	E
COL.	B
A	130
B	120
C	29
D	90




340/1




MOD.	340/1
MAT.	PP
COL.	Std.
A	117
B	44
C	11

340/2



MOD.	340/2
MAT.	PP
COL.	Std.
A	118
B	40
C	11
D	48
E	16
F	15


340/3



MOD.	340/3
MAT.	PP
COL.	Std.
A	118
B	40
C	11
D	24.5
E	16.5
F	15


A richiesta attacco h 21.5 mm
At request handle plate h 21.5 mm

400/1




MOD.	400/1
MAT.	PP
COL.	Std.
A	120
B	48
C	12

400/2



MOD.	400/2
MAT.	PP
COL.	Std.
A	120
B	45
C	12
D	48
E	16
F	15


400/3



MOD.	400/3
MAT.	PP
COL.	Std.
A	120
B	45
C	12
D	24.5
E	16.5
F	15


A richiesta attacco h 21.5 mm
At request handle plate h 21.5 mm

500/3




MOD.	500/3
MAT.	PP
COL.	Std.
A	122
B	49.5
C	11
D	25
E	16
F	15.5

600/2



MOD.	600/2
MAT.	PP
COL.	Std.
A	118
B	42.5
C	11
D	48
E	16
F	15


600/3



MOD.	600/3
MAT.	PP
COL.	Std.
A	118
B	42.5
C	11
D	24.5
E	16.5
F	15

A richiesta attacco h 21.5 mm
At request handle plate h 21.5 mm


800/1



MOD.	800/1
MAT.	PP
COL.	Std.
A	145
B	54.5
C	14




070/2



MOD.	070/2
MAT.	PP
COL.	Std.
A	117.5
B	47
C	10
D	48
E	16
F	15



070/3




MOD.	070/3
MAT.	PP
COL.	Std.
A	117.5
B	47
C	10
D	24.5
E	16.5
F	15




A richiesta attacco h 21.5 mm
At request handle plate h 21.5 mm

M195



MOD.	M195
MAT.	PP
COL.	Std.
A	192
B	31
C	4.6
D	25

M100




MOD.	M100
MAT.	PP
COL.	Std.
A	115.5
B	61.5
C	8
D	103



ABS galvanica (a richiesta)
ABS galvanic (at request)

M200




MOD.	M200
MAT.	PP
COL.	Std.
A	126
B	67
C	10
D	110

ABS galvanica (a richiesta)
ABS galvanic (at request)

MANIGLIA FISSA
FIXED HANDLE


MF




MOD.	MF
MAT.	PP
COL.	B
A	130
B	54
C	20
D	110
E	Ø 20

MANIGLIE RIVETTABILI
THERMO PRESS HANDLES ATTACHABLE WITH RIVETS

THR/2




THR/3




MANIGLIE IMBOTTITE
THERMO PRESS PADDED HANDLES

TH/8



MANIGLIE IMBOTTITE
THERMO PRESS PADDED HANDLES

TH/9




MOD.	MAT.	COL.	A	B	C	D	F
TH/9	E	Std.	140	300	18	25	28.8



MANIGLIE PIATTE
THERMO PRESS FLAT HANDLES


TH/4



MOD.	MAT.	COL.	A	B	C	D	F
TH/4	E	Std.	91	300	8.2	10	16




TH/6



MOD.	MAT.	COL.	A	B	C	D	F
TH/6	E	Std.	116	300	6.5	15	23



TH/7



TH/10

